

# STAINLESS LONGNECK SCALE

- Trade Approved NMI 6/9/307
- Water-resistant IP65 rating
- Rugged industrial design











Weighing Equipment / Platform Scales

### **Stainless Longneck Scale**

#### **■ FEATURES**



- Trade Approved 3000 Division. NMI 6/9C/307
- IP65 Water-resistant rating
- Single or Dual Range Capability
- High Internal Resolution 1/600,000
- **Accidental Overloading Protection**
- Up to Maximum 40 Hours Use on Battery Operation
- **Power Supply Options:** 
  - Mains AC adapter (12V/500mA),
  - Rechargeable Battery NI-MH (1.2V/2000Ah x 6)
- Grade 304 Stainless Steel Construction





**IP68** hermetically sealed load cell





Weighing Equipment / Platform Scales

## **Stainless Longneck Scale**

#### **■ FEATURES**

- Keyboard Simple to use, seven large tactile keys with multi-functional use
- Display 52mm Digit LCD Display with white backlight
- Functions Stable, Zero, Gross, Net, Tare, Hold, Low Battery and Auto Power off
- Housing IP65 Stainless Steel with Tilting head
- Weighing Units Kilo (kg) Gram (g), Pieces (pcs), Percent (%)





Weighing Equipment / Platform Scales

## Stainless Longneck Scale

#### **APPLICATIONS**

- Weighing
- Catch Weighing
- Basic counting
- Percentage and totalising

A ruggedly built, water-resistant, trade approved platform scale suitable for harsh environments

#### **■ SUITABLE INDUSTRIES**

- Warehouses
- Shipping and handling
- Food processing industry
- Animal weighing
- Pharmaceutical
- Chemical
- Any production where raw materials are weighed






Weighing Equipment / Platform Scales

## **Stainless Longneck Scale**

#### **DIMENSIONS**



#### **■ SPECIFICATIONS**

MODEL	STAINLESS LONGNECK-60kg	STAINLESS LONGNECK-150kg
Maximum Capacity (Max)	60kg	150kg
Minimum Capacity (Min)	0.4kg	1kg
Scale Interval	0.02kg	0.05kg
Number of Scale Intervals	3000	
Resolution	40g	50g
Max Division	6.000e	3.000e
ADC Update	≤1/10 second	
Temperature Range	-10°C to +40°C	
Platform Size	Refer to	
Load Cell	1 x Single Point - ZEMIC model L6G	
Emax	100kg	200kg
Minimum value of verification scale interval for basework (Vmin of load cell)	0.02kg	0.05kg
Load Cell Sensitivity (at Emax)	2 mVN	
Input Impedance	406	
Excitation Voltage (Max)	181	/olt

MODEL	STAINLESS LONGNECK-60kg	STAINLESS LONGNECK-150kg
Gross Weight	21kg	
Display	22mm digit LCD display, with white LED backlight	
Keyboard	7 keys (Mechanical switch)	
Housing	Stainless Steel	
IP Rating	IP65	
Power	AC adapter (12V/500mA), Rechargeable Battery (1.2V/2000Ah x 6)	
Cable Length	1600	0mm
Number of Leads	6 wires + shield	
Approvals	NMI 6/9C/3	07, CE, OIML

#### **■ OPTIONS**

ORDER CODE	DESCRIPTION
PS-101	Spare Power Packs for Recharging 12v500mA
BWP-XXXkg	Base Works Only
PSWB	Wall Bracket
TBC	R232 Serial Output
TBC	Verification for Trade Use - 60, 150kg models



Weighing Equipment / Platform Scales

### **Stainless Longneck Scale**

#### ■ AWE - THE BEST IN THE BUSINESS

AWE has built a reputation in providing world class products and services to customers from a wide range of industries for many unique applications. All the products come with AWE Quality Guarantee- giving you the assurance that they have been tested to meet or exceed the specifications and requirements of your application.

At AWE, it's more than just delivering perfectly-designed equipment, it also requires a team of dedicated people who will back you up with great service and support. Any servicing, installation and technical support issues you encounter can be addressed either onsite or remotely by our engineers and tradesmen who are qualified as:

- Licensed Tradesmen
- Mechanical Engineers
- **Electrical Engineers**
- Structural Engineers
- Draftsmen
- Fitter & Turners
- **Boilermakers**
- **Fully Qualified Scale Makers**
- **Electronic Technicians**
- Instrument Fitters
- Electricians
- Service Technicians

Call AWE today. We will find the right solution for your individual needs.


## If you have questions about

- weighing equipment
- packaging equipment
- bulk materials handling
- componentry

call the sales team at AWE Group to find the right solution for your individual needs.

#### **Project Managers** Formworkers Concreters

#### **■ AWE PRODUCT RANGE**





Load Cells



Scales



Crane Scales



Indicators



**Onboard Weighing** 





**Test Weight** Maintenance



Weighing Equipment / Platform Scales

## **Stainless Longneck Scale**

#### ■ WHO IS "AUSTRALIAN WEIGHING EQUIPMENT GROUP"

Jeff & Trevor Baillie started Australian Weighing Equipment (or AWE) in 1981, focusing on weighing solutions based on engineering principles. Over 40 years, AWE has built its reputation as a leading supplier of robust weighing, packaging & bulk handling equipment. Our innovative engineering and continuous product developments have led to designs that will stand up to the rigours and demands of your applications.

AWE has increased its investment in manufacturing facilities with a new 3,200sq/m factory in Sydney featuring;

- A CNC Machine Shop
- **Heavy Metal Fabrication Shop**
- Larger work areas for our team of qualified tradesman

Acquisitions of Bradwood Packaging and Dendy Packaging and Design Engineering has increased our packaging and engineering experience.

In 2008, AWE established a manufacturing facility in China - AWE Group Packaging and Bulk Materials Handling Equipment, a purpose-built 5,000sq/m factory in Suzhou China (70kms From Shanghai).

All of the products we offer are Australian designed and manufactured under our strict quality control system in our own factories both locally and internationally.

#### ■ AUSTRALIAN WEIGHING EQUIPMENT OFFICE LOCATIONS



**Australian Weighing** Equipment - Sydney Office

8 Heald Road Ingleburn NSW 2565



37 Barrie Road



**Australian Weighing** Equipment - Brisbane Office

7 Darnick Street Underwood, QLD 4119



Tullamarine, VIC, 3043



Australian Weighing Equipment - Melbourne Office

27 Rhur St, Dandenong South VIC 3175

#### ■ AUSTRALIAN WEIGHING EQUIPMENT ON SOCIAL MEDIA





www.awe.com.au



/company/awegroupaustralia



www.youtube.com/AustWeighing



@australianweighingequipment

Dealer's Information:

